



A CSW Industrials Company

# Heating Service Products

Protective maintenance for  
steam and hot water systems



# Heating Service Products



Heating service products are designed to ensure boilers, tankless water heaters, and furnaces **operate at optimum performance.**

Heating service products are also used to **extend the life of older systems and promote safe, clean operating environments.**



# Why our heating service products?



## Performance

Regular maintenance will ensure a **properly operating system.**

## Efficiency

Removing unwanted buildup ensures **heating systems are not overworked** which saves money on energy and costly repairs.

## Protection

Proper treatment **protects the system from scale, corrosion, foaming** and other forms of damage that can occur over use and time.



# Product Lineup



## Steam Boilers and Hydronic (Hot Water) Boilers



**Surgemaster™**  
*Steam Boilers Only*



**8-Way™**



**Surgex™**  
*Steam Boilers Only*



## Soot Remover

**Sootspray™**

## Fuel Oil Neutralizer



**Odorgon™ Powder**



**Odorgon™ Spray**

## Water Heater Flush



**Calci-flush™**  
*Tanked Water Heaters*



**Calci-free™**  
*Tankless Water Heaters*

**Effective in curing boiler problems (cutting oils and protective coatings) associated with new installations.**

- Inhibits corrosion within 15 minutes
- Produces clean, dry steam and steady water gauge
- Contains no petroleum distillates
- Will not harm seals or gaskets
- Sure-cure color indicator



**Color indicator tints boiler water taking guesswork out of treatment dosage!**

**Cleans very dirty steam boilers and boilers with excessive scale, rust and muck.**

- Used to maintain clean, rust free water on new or existing systems
- Builds alkalinity
- Controls pH
- Inhibits corrosion
- Sure-cure color indicator





**Cures priming, surging and foaming in boilers and is especially effective in inhibiting scale and corrosion.**

- Concentrated anti-foam formula
- Produces clean, dry steam
- Contains no petroleum distillates and Will not harm synthetic seals or gaskets
- Economical
- Sure-cure color indicator



**Color indicator tints boiler water taking guesswork out of treatment dosage!**

# Sure-cure color indicator

**Our sure-cure color indicator tints boiler water taking the guesswork out of treatment dosing.**



Pinkish-red colored water indicates a second container must to be added.



Yellow-green water in the gauge indicates the treatment is sufficient.



**Surgemaster™**



**8-Way™**



**Surgex™**



## **Clears soot from oil and gas fired burners.**

- Carried by the system's natural draft everywhere soot is deposited and helps avoid dismantling hard to reach equipment for soot removal
- Prevents insulating soot from forming
- Environmentally friendly



**Improves burner efficiency**

# Odorgon™ Powder



A CSW Industrials Company

**Powder formula eliminates fuel oil odor and stains on floors and horizontal surfaces.**

- Absorbs and deodorizes after spills and leaks
- Non-lingering, pleasant scent
- Non-flammable
- Easy to use
- Sifter top can allows for controlled, economical usage and clean storage



**For stains, scatter additional powder. Sweep up when stain disappears.**




# Odorgon™ Spray



A CSW Industrials Company

**Aerosol designed to neutralize oil and other industrial odors in hard to reach corners and vertical surfaces.**

- Deodorizes after spills and leaks
- Non-lingering, pleasant scent
- May be sprayed into return air ducts to eliminate circulating odors
- Non-flammable
- Easy to use



**Use with Odorgon™ Powder when odor still persists.**



## Chemical cleaner designed to dissolve deposits that inhibit the transfer of heat from the heating element to the water.

- Dissolves water heater tank sediment so that it can be drained and removed
- Restores water temp.
- More effective than vinegar
- Easy to use with no strong odor
- Biodegradable\*



Certified to  
NSF/ANSI/CAN 60



Deposits inhibit the transfer of heat from the heating element to the water.




Restore tank & water temp. in under 60 minutes!



\*Contains the best available biodegradable surfactants and detergents.

## Chemical cleaner designed to remove calcium and other solid deposits from heating coils in tankless water heaters.

- More effective than vinegar
- Easy to use with no strong odor
- Cleans heat exchanger fast
- Biodegradable



# Why our heating service products?



## Performance

Regular maintenance will ensure a **properly operating system.**

## Efficiency

Removing unwanted buildup ensures **heating systems are not overworked** which saves money on energy and costly repairs.

## Protection

Proper treatment **protects the system from scale, corrosion, foaming** and other forms of damage that can occur over use and time.



# Additional Products: Pipe Thread Sealants



## RectorSeal No. 5®

Multi-purpose pipe thread sealant



Soft-set, slow drying compound which seals, lubricates, and protects threaded pipe and fittings. It can be pressurized immediately.

- Lubricates and protects threads.  
For use with potable water (hot or cold)
- Immediate pressurization on pipe up to 2" and 100 psi
- Lead free and contains no other metals.  
Permits easy break out with no damage to threads
- Brushable from 20°F to 140°F,  
for pressure up to 12,000 psi (liquids) and 2,600 psi (gases)

Code	Description	Qty
25790	1 ¾ oz. display	24 tubes
25793	1 ¾ oz. display	12 tubes
25631	1/4 Pint Brush Top	24 cans
25633	1/4 Pint Brush Top	12 cans
25551	1/2 Pint Brush Top	24 cans
25431	Pint Brush Top	12 cans
25300	Quart Brush Top	12 cans
25271	Gallon Friction Top	4 cans

# Additional Products: Pipe Thread Sealants



## RectorSeal T Plus 2®

PTFE enriched pipe thread sealant



Non-hardening thread sealant containing PTFE plus synthetic fibers. Fibers dispersed in a resinous base combined with inert mineral fillers provide maximum sealing performance.

- PTFE enriched
- Lubricates and protects threads
- Allows immediate pressurization
- For use with potable water
- Formulated for plastic and metal pipe
- Multi-purpose, non-flammable

Code	Description	Qty
23710	1 ¾ oz. display (50 g)	24 tubes
23631	1/4 Pint Brush Top (118 mL)	24 cans
23633	1/4 Pint Brush Top (118 mL)	12 cans
23551	1/2 Pint Brush Top (237 mL)	24 cans
23431	Pint Brush Top (437 mL)	12 cans
23391	Quart Brush Top (946 mL)	12 cans

Code	Description	Qty
23001	4 oz. (118 mL) – Canada	12 cans
23002	8 oz. (236 mL) - Canada	8 cans
23435	Pint Brush Top (237 mL) - Canada	12 cans

# Additional Products: Leak Locators



## **Better Bubble™** Gas leak locator

Rectorseal's most advanced leak locator formula pinpoints the smallest natural gas, LPG and A/C refrigerant leaks quickly and easily. Contains no oils, halogens, ammonia, or amines. Will not corrode metal surfaces or attack plastic or rubber. Not reactive with refrigerant oils.

**Not recommended for oxygen.**

Code	Description	Qty
65554	Better Bubble™ 8 oz. dauber top	12
65432	Better Bubble™ 32 oz. trigger spray	12
65273	Better Bubble™ 1 gal.	4





# Additional Products: Leak Locators



## **RectorSeek™ Low-Temp**

Low temperature  
leak locator

Leak locator for use on pipes or tanks containing gases at low temperatures. Effective from -35°F to 200°F.

- Longer bubbling action provides longer inspection periods
- Dauber or spray application methods available
- Easy to apply without any waste
- Not recommended for oxygen.

Code	Description	Qty
61273	RectorSeek™ Low-Temp 1 gal.	4



## **RectorSeek™ Mid-Temp**

Mild temperature  
leak locator

Leak locator for use on pipes or tanks containing gases at low temperatures. Effective from 40°F to 200°F.

- Longer bubbling action provides longer inspection periods
- Dauber or spray application methods available
- Easy to apply without any waste
- Can be used on oxygen, air, or gas

Code	Description	Qty
60273	RectorSeek™ Mid-Temp 1 gal.	4

# Additional Products: Leak Repair



## EP-200 & 400 Epoxy putty



EP-200/EP-400 epoxy putty is a pre-measured kneadable reinforced epoxy putty stick that cures "steel-hard" within 15-20 minutes of mixing at room temperature (77°F). It is extremely tough and durable with exceptional adhesion to a wide range of surfaces.

Code	Description	Qty
97600	2 oz. EP-200 with display	24
97601	2 oz. EP-200 refill	24
97606	4 oz. EP-400 boxed	12



## Pipe Repair Kit Stops leaks on all rigid pipes

RectorSeal Pipe Repair Kit is a cost-effective pipe repair system. Stops leaks on all rigid pipes in a variety of applications. Knitted fiberglass cloth in polyurethane resin bonds to PVC, fiberglass, concrete and all metal pipes and hardens in minutes

- Easy to use, Fast setting, durable repair
- Repairs T & elbow joints
- Bonds to any pipe material

Code	Description	Qty
82112	Pipe Repair Kit	12

# Additional Products: Leak Repair



## Magne-Patch™

Instantly stops small leaks in steel tanks

Magne-Patch instantly stops small leaks in steel tanks & drums. A powerful magnet assembly holds a flexible, chemical resistant plug against tanks with small leaks. With Magne-Patch, damaging & potentially dangerous product leakage is stopped.

- Quickest tank repair available
- Provides temporary repair to help avoid serious spills
- Can be reused



Code	Description	Qty
68442	Magne-Patch™ Blister card	12



# Heating Products Lineup



## **Surgemaster™**

*Steam Boilers Only*

**Boiler Surge Inhibitor**

Effective in curing boiler problems (cutting oils and protective coatings) associated with new installations.

- Produces clean, dry steam and steady water gauge
- Contains no petroleum distillates
- Will not harm seals or gaskets
- Sure-cure color indicator

Code	Description	Qty
68742	Surgemaster™ 5.3 oz	12



## **8-Way™**

**Boiler Water Conditioner**

Cleans very dirty steam boilers and boilers with excessive scale, rust and muck.

- Will not damage seals and gaskets
- Non-chromate; biodegradable
- Contains no petroleum distillates
- Sure-cure color indicator

Code	Description	Qty
68714	8-Way™ 1 gal.	4
68712	8-Way™ 1 qt.	12

# Heating Products Lineup



## **Surgex™**

*Steam Boilers Only*  
**Boiler Surge  
Treatment**

Cures priming, surging and foaming in boilers and is especially effective in inhibiting scale and corrosion.

- Concentrated anti-foam formula
- Produces clean, dry steam
- Contains no petroleum distillates and Will not harm synthetic seals or gaskets
- Sure-cure color indicator

Code	Description	Qty
68752	Surgex™ 1.5 oz	20



## **Sootspray™**

**Burner Soot  
Remover**

Clears soot from oil, gas, coal or wood-burning heating units.

- Non-flammable and non-explosive
- Environmentally Friendly
- Cuts vacuum time by 50-100%
- Contains no lead

Code	Description	Qty
68342	Sootspray™ 14 oz aerosol	12

# Heating Products Lineup



## Odorgon™ Powder

Fuel Oil Absorber

Powder formula eliminates fuel oil odor and stains on floors and horizontal surfaces.

- Non-lingering, pleasant scent
- Non-flammable
- Easy to use
- Absorbs and deodorizes after spills and leaks

Code	Description	Qty
68512	Odorgon™ Powder 1 lb.	12
68514	Odorgon™ Powder 2 lb.	12



## Odorgon™ Spray

Fuel Oil  
Neutralizer

Aerosol designed to neutralize oil and other industrial odors in hard to reach corners and vertical surfaces.

- Covers vertical surfaces and corners
- Non-lingering, pleasant scent
- Non flammable
- Easy to use
- Deodorizes after spills and leaks

Code	Description	Qty
68516	Odorgon™ Spray 14 oz. aerosol	12



# Heating Products Lineup



**Calci-flush™**

Tanked Water Heater Flush



Certified to  
NSF/ANSI/CAN 60

Chemical cleaner designed to remove deposits that inhibit the transfer of heat from the heating element to the water.

- Helps eliminate calcium & scale buildup in tanks
- Dissolves tank sediment to allow for its removal
- Restores circulation, water pressure and temperature in under 60 minutes
- Easy to use with no strong odor. More effective than vinegar
- Biodegradable\*

Code	Description	Qty
68707	Calci-flush 1 gallon	4

\*Contains the best available biodegradable surfactants and detergents.



# Heating Products Lineup



## Calci-free™ Tankless Water Heater Flush



Certified to  
NSF/ANSI/CAN 60

Chemical cleaner designed to remove calcium and other solid deposits from heating coils in tankless water heaters.

- Restores water flow/pressure and circulation in 20 min.
- Easy to use with no strong odor
- Cleans heat exchanger fast
- Biodegradable

Code	Description	Qty
68708	Calci-free granules 1.2 lbs	12

CAUTION: Not for use on aluminum



## Calci-free™ Flush Kit Tankless Water Heater Flush



Certified to  
NSF/ANSI/CAN 60

Kit includes everything you need to safely and effectively remove scale and mineral deposits from tankless water heaters.

- A complete cleaning system
- Cleans in only 20 minutes
- Easy to use
- Heavy duty, chemical resistant utility pump

Code	Description	Qty
68711	Calci-free Flush Kit	1

# Heating Chemical Selector Guide



Application	Steam & Hydronic (Water) Boilers			Oil, Gas, Coal, & Wood Burners	Water Heaters		Fuel Oil Neutralizer	
	Surgemaster	8-Way	Surgex	Sootspray	Calci-flush	Calci-free	Odorgon	
	Boiler surge inhibitor	Boiler water conditioner	Boiler surge treatment	Burner soot remover	Tanked water heater flush	Tankless water heater flush	Powder	Spray
Properties								
New heating system	•	•			•	•	•	•
Existing heating system	•	•	•	•	•	•	•	•
Steam heating system	•	•	•	•			•	•
Hydronic heating system		•	•	•			•	•
Prevent/eliminate surging	•	•	•					
Remove scaling		•	•		•	•		
Inhibit corrosion	•	•	•					
Prevent priming (foaming)	•	•	•					
Remove calcium deposits					•	•		
Remove soot				•				
Seal water leaks								
Sure color indicator	•	•	•					
Absorb fuel oil stain/odor							•	
Neutralize fuel oil odor				•			•	•
Seal doors & joints								
Non-flammable					•	•	•	
No petroleum distillates	•	•	•	•	•	•	•	•
Product Codes								
	5.3 oz - <b>68742</b> (powder)	1 qt - <b>68712</b> 1 gal - <b>68714</b>	1.5 oz - <b>68753</b> (powder)	14 oz - <b>68342</b> (aerosol)	1 gal - <b>68707</b>	1.2 lb - <b>68708</b> 1.2 lb + flush kit <b>68714</b>	1 lb - <b>68512</b> (powder) 2 lb - <b>68514</b> (powder) 14 oz - <b>68516</b> (aerosol)	





A CSW Industrials Company

[Click here to download a PowerPoint version of these materials.](#)