

Ultimate in Corrosion Protection



A CSW Industrials Company



GulfCoat™

contractor series
coil coating



Resists Corrosion From:

- Salty Sea Air
 - UV Rays
 - Acid Rain
 - Air Pollutants
- and many other aggressive conditions



- Superior coverage
- Environmentally friendly (water based)

- Extends life cycle of HVACR equipment
- Prevents energy loss due to corrosion

GulfCoat™

Corrosion Protection

Code	Description	Qty
80401	12 oz. (340 g) Aerosol Blue	6
80400	12 oz. (340 g) Aerosol Clear	6

FEATURES

- Designed for the protection of HVAC coils and components
- Formulated to improve adhesion, moisture resistance, UV protection, and corrosion resistance
- Extends the life and efficiency of HVACR equipment

Application • Mini-splits • Packaged Rooftops • Condensing Units • Modular Air-handlers • Air-cooled Chillers • Interior & Exterior HVAC Cabinetry and Copper Piping • Heat Exchanger Coils (water, condenser, evaporator, DX)

1 can covers 0-2.5 tons unit (0-9 kw) coverage of coils only



Property	Test Method	Performance
Salt Spray	DIN 53167/ASTM B117	Exceeds 4,000 hours
Water Immersion	ASTM D870	500 hours minimum - 0 blisters
Pencil Hardness	ASTM D3363	HB-F
Cross Hatch Adhesion	ASTM D3359	5B minimum
Humidity	ASTM D2247	500 hours minimum - 0 blisters
UV Resistance	ASTM D4587	500 hours minimum - ΔE color shift < 2
Mandrel Bend (Flexibility)	ASTM D522M	Pass

Manufactured by: Modine Manufacturing Company

Distributed by: RectorSeal® 2601 Spenwick Drive - Houston, TX 77055 800-231-3345 rectorseal.com

RectorSeal® Australia PTY LTD. PO Box 3119 DC - Clontarf QLD 4019 07-3267-7277 rectorseal.com.au

A CSW Industrials Company. RectorSeal, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensor's and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice.

©2018 RectorSeal. All rights reserved. R50237-0618