Nursery Products 18-6-12

- "All purpose" product designed for professional landscape, field grown nursery stock, composting medias and container grown plants
- 8 9 month nitrogen feeding period
- Contains iron and other micronutrients for enhanced greening and stress tolerance
- Contains SMARTPHOS™ slow release phosphate and MUtech®-XL slow release nitrogen

GUARANTEED ANALYSIS

Total Nitrogen (N)*	18.00%
2.89% Other Water Soluble Nitrogen****	
Available Phosphate (P ₂ O ₅)*	6.00%
Soluble Potash (K ₂ O)**	12.00%
Magnesium (Mg)*	0.50%
Sulfur (S)	4.25%
0.25 Free Sulfur (S)	
4.00% Combined Sulfur (S)	
Copper (Cu)	0.10%
0.02% Water Soluble copper (Cu)	
Iron (Fe)	1.00%
0.03% Water Soluble Iron (Fe)	
Manganese (Mn)	0.10%
0.03% Water Soluble Manganese (Mn)	0.1076
	0.100/
Zinc (Zn)	0.10%
0.03% Water Soluble Zinc (Zn)	

Derived from triple super phosphate, ureaform, magnesium ammonium phosphate hexahydrate, potassium sulfate, polymer coated sulfur coated urea, polymer coated sulfate of potash, ferric oxide, ferrous sulfate, cupric oxide, cupric sulfate, zinc oxide, zinc sulfate, manganous oxide, manganese sulfate and magnesium oxide.

*0.17% slowly available total nitrogen (N), 1.00% slowly available phosphate (P₂O₅), and 0.35% slowly available magnesium (Mg) from magnesium ammonium phosphate hexahydrate

F002091

FLORIDA APPLICATIONS:

We recommend that you follow the Green Industries BMP's at: http://fyn.ifas.ufl.edu/pdf/GIBMP_Manual_Web_English_2015.pdf

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf

Note: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. DO NOT WASH OFF WITH WATER.



WARNING

May be harmful if swallowed May cause mild skin irritation May cause eye irritation May cause respiratory irritation

Precautionary Statements:

- Call poison center/physician if unwell
- If skin irritation occurs, get medical advice
- If in eyes, rinse cautiously with water for several minutes remove contact lenses
- If eye irritation persists, get medical advice
- Wash hands after handling
- Use only outdoors or in well ventilated areas
- Avoid breathing dust
- If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing
- Store container tightly closed
- Dispose of contents/container in accordance with national/regional/local regulations

First Aid:

If inhaled: Move victim to fresh air. Seek medical attention if irritation persists.

If on skin: Wash affected areas with soap and water. Seek medical attention if irritation persists.

Wash contaminated clothing before re-use.

If in the eyes: Immediately flush with water for at least 20 minutes. Seek medical attention if

irritation persists.

If swallowed: If victim is alert and not convulsing, give one glass of water to dilute material, but DO

NOT induce vomiting. Seek immediate medical attention.

LONGEVITY

Longevity at the following average media temperatures				
60° F (15° C)	70° F (21° C)	80° F (26° C)	90° F (32° C) 6-7 months	
9 to 10 months	8 to 9 months	6 to 7 months		

Product release does not accelerate above 26°C (reacted product, not coated)

For Professional Use Only

Our recommendation is to perform a product trial prior to adopting a new fertilizer program. Application rate should be based on individual grower practices. The following are general recommendations only.

DIRECTIONS FOR USE

	Incorporation Rates				
	Low	Medium	High		
Pounds per cubic yard	7.0	11.0	15.0		
Grams per liter or Kilograms per Cubic Meter	4.2	6.5	8.9		
Broadcast Rates					
	Low	Medium			
Pounds per 1,000 sq. ft.	11.0	19.5			
Kilograms per 100 sq. Meter	5.4	9.5			

Use low rate in greenhouse applications or heavy or clay soils, high rate on light or sandy soils depending on soil test. Trial all rates on a small area or potted lot prior to adopting a new fertility program.

Container Rates - Topdressing Established Plants				
Container Size	Approximate Containers/Cu. Yd.	Conversions		
4" square	1,260	3 g = 1/2 teaspoon = 1/10 oz.		
5" pot	800	5 g = 1 teaspoon = 1/6 oz.		
6" pot	450	8 g = 1½ teaspoon = 1/3 oz.		
1 gallon container	300	14 g = 1 tablespoon = 1/2 oz.		
3 gallon container	80	28 g = 2 tablespoons = 1 oz.		
5 gallon container	50	42 g = 3 tablespoons = 1½ oz.		

Product selection and application rates should be based on individual grower practices. Some factors that influence selection include:

Specific Crop • Irrigation Type

Type of Growing Media
Rainfall Amount

Conventional Measures (level)

1 tsp. = 5 grams 1 tbsp. = 14 grams

1/4 cup = 64 grams 1/3 cup = 85 grams

1/2 cup = 127 grams 1 cup = 253 grams

28 grams (g) = 1 ounce (oz.)

454 grams (g) = 1 pound (lb.)

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS.

LEGAL RIGHTS

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of USA

Manufactured by: The Andersons, Inc. P.O. Box 119 Maumee, OH 43537 www.andersonsplantnutrient.com

MUtech is a registered trademark of The Andersons, Inc.; SMARTPHOS is a trademark of The Andersons, Inc.



10006062

Bulk Density = 59 lbs. per Cubic Foot Net Wt. 50 Lbs. (22.68 kg)

^{**6.00%} coated slow release potassium sulfate.

^{***2.77%} Slowly available urea nitrogen from polymer coated sulfur coated urea.

^{****2.89%} Slowly available water soluble nitrogen from ureaform.