# The Andersons Turf Products Fertilizer 22-0-3



# **Guaranteed Analysis**

Total Nitrogen (N)	22.00%
· · · · · · · · · · · · · · · · · · ·	3 00%
Soluble Potash (K <sub>2</sub> O)	0.0070
Magnesium (Mg)	2.00%
Iron (Fe)	2.00%
Derived from urea, potassium chloride, magnesium oxide and ferric oxide.  Chlorine (Cl) Max	2.54%

<sup>\*11.00%</sup> nitrogen stabilized with N-(n-butyl) thiophosphoric triamide

**Nitrogen Notice:** For those states with nitrogen application restrictions, including but not limited to MD, NH, NJ, VA, do not apply more than 3.4 lbs. of this product per 1,000 sq. ft.

F002091



WARNING
MAY CAUSE SKIN AND EYE IRRITATION
MAY CAUSE RESPIRATORY IRRITATION

#### **Precautionary Statements:**

- Wear protective gloves and fire resistant clothing
- · Remove contaminated clothing and wash before reuse
- Do not breathe dust
- · Use only outdoors or in well-ventilated area
- Call posion control or seek medical attention if you feel unwell
- Wash thoroughly after handling
- Do not eat, drink or smoke when using the product
- Store container tightly closed
- Dispose or contents/ container in accordance with national / regional / local regulation

# First Aid:

If inhaled: Move to fresh air and keep comforatble, seek medical attention if

unwel

If on skin: Wash affected areas with soap and water. Seek medical attention if

irritation persists. Wash contaminated clothing before re-use.

If in eyes: Immediatly flush with water for 15-20 minutes, seek medical attetion

if irritation persists.

If swallowed: Rinse mouth. DO NOT INDUCE VOMITING unless directed by a

medical professional. Seek medical attention if unwell.

#### **DIRECTIONS FOR USE**

Apply only as directed. Apply during the growing season.

# **Application Rates:**

LIGHT: 3.4 lbs/1,000 sq. ft. LOW: 4.5 lbs/1,000 sq. ft. MEDIUM: 5.6 lbs/1,000 sq. ft. HIGH: 6.8 lbs/1,000 sq. ft.

# For all applications:

- Apply to dry foliage.
- Water in after application with a minimum of 0.2 inches to help move particles into the turf canopy.
- Do not collect clippings for at least one mowing following application to avoid particle pick-up.

# FLORIDA APPLICATIONS

We recommend that you follow the Florida Green Industries BMP's at: http://fyn.ifas.ufl.edu/pdf/GIBMP\_Manual Web English 2015.pdf

We recommend that you follow the Florida Golf Course BMP's at: http://www.dep.state.fl.us/water/non-point/docs/nonpoint/glfbmp07.pdf

#### Cool Season Grasses:

- Apply at the LOW or MEDIUM RATE every 6-8 weeks during the period of active growth.
- Apply at the LIGHT RATE when temperatures exceed 85°F.

#### Warm Season Grasses:

 Apply at the LOW to HIGH RATE every 4-6 weeks during the period of active growth.

#### STORAGE AND USE

Store in a clean, dry place.
Reseal opened bag by folding top down and securing.
Use only in clean, dry spreaders.
Do not leave unused product in spreaders.

**Notice:** This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. Do not wash off with water.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn and sweep any product that lands on the driveway, sidewalk or street, back onto your lawn.

# **IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

# WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS.

#### **LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of U.S.A.

Manufactured by: The Andersons, Inc. P.O. Box 119 Maumee, OH 43537 www.andersonsplantnutrient.com

Fortify is a registered trademark of The Andersons, Inc.

# **Suggested Spreader Settings**

These suggested spreader settings are not intended to replace calibration.
Please calibrate your spreader before applying product.

50 lbs. feeds 14,700 sq. ft. (0.34 acre) with 0.75 lbs. N/1,000 sq. ft. at the LIGHT RATE

50 lbs. feeds 14,700 sq. ft. (0.34 acre) with 0.75 lbs. N/1,000 sq. ft. at the LIGHT RATE 50 lbs. feeds 11,100 sq. ft. (0.25 acre) with 1.00 lbs. N/1,000 sq. ft. at the LOW RATE 50 lbs. feeds 8,900 sq. ft. (0.20 acre) with 1.23 lbs. N/1,000 sq. ft. at the MEDIUM RATE 50 lbs. feeds 7,300 sq. ft. (0.17 acre) with 1.50 lbs. N/1,000 sq. ft. at the HIGH RATE

			SPREADER SETTINGS			
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LIGHT RATE 3.4 lbs/1,000 sq. ft.	LOW RATE 4.5 lbs/1,000 sq. ft.	MEDIUM RATE 5.6 lbs/1,000 sq. ft.	HIGH RATE 6.8 lbs/1,000 sq. ft.
Andersons Model 2000 / AccuPro 2000 (cone 4); Andersons 2000 SR / SR-2000 (cone 4)	3 mph	11 feet	L 1/4	M 1/2	N 3/4	O 3/4
Scotts R-8, R-8A (cone 4)	3 mph	11 feet	K 1/4	L 1/2	M 3/4	N 3/4
Lesco 020093 (pattern 0.25)	3 mph	10 feet	E	F	G	Н
Lesco 705698 (pattern 0.25)	3 mph	10 feet	12	14	16	18
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern II-A	4.5 mph	40 feet	5 1/2	6 1/4	7	7 3/4
Vicon (03 Series)	4.5 mph	36 feet	28	33	38	42



**APT22UM5.5**