

29-2-3

- · Designed for use on turf & ornamental plants
- Contains slow release N for even feeding
- High nitrogen content

GUARANTEED ANALYSIS

Total Nitrogen (N)	29.00%
12.81% Urea Nitrogen	
16.19% Other Water Soluble Nitrogen*	
Available Phosphate (P,O,)	2.00%
Soluble Potach (K (1)	3.00%

Derived from: urea-triazone solution, urea, potassium polyphosphate

* 16.19% Slowly available nitrogen from urea-triazone solution

F002901

FLORIDA APPLICATIONS:

We recommend that you follow the Florida Green Industries BMP's at http://www.flrules.org/Gateway/reference.asp?No=Ref-04706

We recommend that you follow the Florida Golf Course BMP's at http://www.flrules.org/Gateway/reference.asp?No=Ref-04702

NITROGEN NOTICE: For those states with nitrogen application restrictions, including but not limited to, MD, NH, NJ and VA, do not apply more than 0.7 lbs of nitrogen per 1.000 sq.ft.

PHOSPHATE NOTICE: This lawn/turf fertilizer contains phosphorus and is only for nonagricultural use on (i) turf during its first growing season, (ii) on turf areas being repaired or renovated, and (iii) on turf where a soil test performed within the last 3 years indicates a phosphorus deficiency. This fertilizer is not for the routine maintenance of turf.

In Maryland, this product is providing nutrients in accordance with a soil test that was conducted by a laboratory identified under 8-803.7 of this article and performed no more than 3 years before the application.

PRODUCT SPECIFICATIONS:

Pounds Per Gallon:	11.00
DH	10.50
Specific Gravity:	1.32
Pounds of Nitrogen per gallon:	
Pounds of Phosphorous per gallon:	0.22
Pounds of Potassium per gallon:	0.33



WARNING

MAY CAUSE EYE IRRITATION
MAY CAUSE RESPIRATORY IRRITATION

PRECAUTIONARY STATEMENTS:

- Call a poison center/physician if unwell.
- Wash hands after handling.
 Use only outdoors or in well ventilated areas.
- Avoid breathing mist/spray.
- Store container tightly closed.
- Dispose of contents/container in accordance with national/regional/local regulations.

FIRST AID:

- If inhaled: Move victim to fresh air. Seek medical attention if irritation persists.
- If on skin: Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before
- If in the eyes: Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
- If swallowed: If victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.

APPLICATI	ON RATES
	Fl. Ounces
0.05	2
0.1	4
0.2	8
0.3	12
0.4	16
0.5	20
1.0	40

Net Contents	L	Kg	Gal.	Lbs.
Jug	9.5	12.5	2.5	27.5
2x2.5 gal case	18.9	25.0	5.0	55.0
Drum	208.2	274.4	55.0	605.0
Tote	1041.0	1372.1	275.0	3025.0
Bulk			Bulk Density =11.	0 lbs/gal @ 68°F

LOT



ASP2922X25 / 10003673



29-2-3

DIRECTIONS FOR USE: Shake well before using.

Apply only to actively growing turf. Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city oovernment to determine if there are local regulations for fertilizer use.

Turf Applications: Foltec LO Ultra 29-2-3 may be applied as a foliar spray application on all turf grasses (cool, transitional, and warm season) including lawns, athletic fields and golf courses: fairways, greens, and tees. Apply anytime during the growing season, from the time turf starts greening up in spring until active growth stops in late fall. May be applied to wer or dry foliage. Multiple applications enhance performance of this product. A sound fertility program is most effective when used continually in conjunction with dispersible granular nutrition products spaced throughout the growing season. Consult your Andersons territory manager or distributor sales representative for a customized application program utilizing Anderson granular and fluid fertilizer products. Water turf prior to next mowing to remove any remaining product from foliage.

This product should be used when a soil test has been conducted, within the last 36 months, and the test indicates that the soil is deficient in plant available phosphorous or the intended use is for establishing grass or repairing damaged grass during the growing season in which the grass is established.

Dilution Information: Determine desired N application rate and the intended dilution (fertilizer should be applied as a spray solution with a total volume of 1-2 pallons/1000 square feet).

Low N application rates (2-4 fluid ounces product/1,000 sq. ft.) may be repeated at 7-14 day intervals. Moderate n applications rates (4-8 fluid ounces product/1,000 sq. ft.) may be repeated at 7-14 day intervals.

Tank Mixing: Add ½ of the total water to the spray tank. Activate sprayer agitation, measure appropriate volume of fertilizer concentrate and add to the spray tank. Bring spray tank to total volume of water. Adequate agitation is required to keep product in suspension. If tank mixing with pesticides, test compatibility before adding to spray mix. Perform a small jar test.

Tree and Ornamental Applications:

Deep Root Feeding: Apply Foltec LO Ultra 29-2-3 in spring after the last frost, but prior to bud opening. In the fall, delay application until tree has dropped most of its leaves or soil temperature is 50°F or less. Inject Foltec LO Ultra 29-2-3 into the top 4 - 8 inches on a grid pattern two to three feet apart so that the area below the tree canopy plus one third of the area outside the canopy will be treated. Suggested rates of application are 1 to 3 pounds of N per thousand square feet (40 - 120 fluid ounces).

Diameter Breast He	eight (DBH) Method
Pounds of N per inch	Amount of fertilizer per 100 gallons water
.056	40 oz.
.083	80 oz.
.167	120 oz.

Apply 5 gallons of tank mix per inch diameter. Always measure diameter at 4 ½ feet above ground.

Application Rate at 75 Gallons per 1,000 Sq. Ft.			
Tank Size in Gallons	Quantity 29-2-3		
	1/2 lb. N	1 lb. N	2 lb. N
75	0.16	0.31	0.63
100	0.21	0.42	0.84
150	0.31	0.63	1.25
200	0.42	0.84	1.67
300	0.63	1.25	2.51
600	1.25	2.51	5.02
1000	2.09	4.18	8.36

For ground area method, measure below drip line of tree. Rates of 1/2 - 2 lbs. of nitrogen are recommended. Evergreens usually require slightly higher nitrogen than deciduous trees.

Foliar Sprays: May be used in foliar tree and shrub feeding program and applied in conjunction with a crop protection chemical program. It is recommended to do a "jar test" for compatibility. A suggested rate of application is one gallon of product per 100 gallons of spray solution. For concentrated sprays of less than 100 gallons, reduce the rate of product to stay within the recommended solution ratio. CAUTION - should be exercised by the professional applicator before applying 39-2-3 to sensitive trees and shrubs.

Fertigation: Fertigation: For fairway turf, follow rates recommended by fertigation equipment and existing fertility program. For horticultural applications, follow Best Management Practices for crop being grown and the type of fertigation equipment being used. Take into account other products being applied through fertigation equipment prior to using Foltec LO Ultra 29-2-3 product.

Precautions: Test chemical compatibilities before tank mixing. Do not apply to foliage of any plant when temperatures are likely to approach or exceed 90°F while the foliage is still wet from the application. Avoid applications during high stress periods, or when plants are not actively growing, or during hot, dry periods of the day. Not recommended for sole use when planting new turf areas unless indicated by soil testing.

Storage and Use:

Store in a cool dry place. Do not store in temperatures above 95°. Keep from freezing.

IMPORTANT: READ BEFORE USE: Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAINER and LIMITATION of LIABILITY: Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTRABILITY OF ETINESS FOR A PABRICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to retund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS.

LEGAL RIGHTS: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/ JURISDICTION TO STATE/JURISDICTION. Product of U.S.A.

Distributed by: The Andersons, Inc.

P. O. Box 119 Maumee, Ohio 43537

©2020 The Andersons logo, Foltec is a trademark of The Andersons, Inc. I20

