


with 0.2% MERIT® Insecticide and Fortify-N

- For fertilization and insect control in turfgrass and landscape ornamentals and sod farms
- Fertilizer with MERIT® Insecticide
- Contains MERIT® Insecticide



SGN 215

Net Wt. 50 Lbs. (22.68 kg)



The Andersons 15-0-4 Fertilizer with 0.2% MERIT® Insecticide and Fortify®-N

The Andersons 15-0-4 Fertilizer with 0.2% MERIT® Insecticide and Fortify®-N

Guaranteed Analysis APPLICATION RATES FOR USE ON ORNAMENTALS Total Nitrogen (N) . . . 15.00% Urea Nitrogen* THE ANDERSONS TURF PRODUCTS FERTILIZER Soluble Potash (K₂0) . . WITH 0.2% MERIT INSECTICIDE 21-0-4 AND Derived from urea and potassium chloride. Chlorine (CI) Max . . . Japanese beetle larvae, chafers, *Phyllophaga* spp., Asiatic garden beetle, Oriental beetle *3.75% nitrogen stabilized with N-(n-butyl) thiophosphoric triamide Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability. DIRECTIONS FOR USE USE RESTRICTIONS: It is a violation of Federal law to use this product in a manner inconsistent with its labeling • Do not apply this product, by any method, to linden, basswood, or other Tilia species. • Do not apply more than 200 lb (0.4 lb of active ingredient) per acre per year. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be • For optimum control, irrigate if rainfall does not occur, or incorporate mechanically, within 24 hours after application to move the active ingredient into the soil. in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation. • Avoid runoff or puddling of irrigation water following application. Avoid application of this product to areas which are water-logged or saturated, which will not allow penetration into the root zone of the plant. Do not apply to vegetable gardens. Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of Refer to label sections on application equipment and spreader settings. agricultural worker on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protective Standard. Do not contaminate water, food, or feed by storage or disposal. **Pesticide Disposal**: Wastes resulting from the use of this product may be disposed of on site or at an Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. approved waste disposal facility. Container Handling: Non-refillable container, Do not reuse or refill this container, Offer for recycling, if available. Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration of if allowed by the state and local authorities, by burning. If burned, stay PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Chemical-resistant gloves made of any waterproof material contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated

The Andersons, Inc.

with the handling of this material. In spill or leak incidents, keep unauthorized people away. The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to product agricultural plants on farms, forests, nurseries, or greenhouses. Keep children and pets off treated area until dry. IMPORTANT: READ BEFORE USE: Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer or Warranties and Limitations of Liability. The use of this product will provide plant nutrients as well as providing control of selected insect pests. This product can be used for the control of soil in habiting pests of

orientalis; Euetheola humulis, rugiceps; sugarcane beetle, Euetheola humilis rugiceps, Sphenophorus spp.; annual bluegrass weevil, Listronotus maculicollis; Black turfgrass ataenius, Ataenius spretulus Aphodius spp.; crane flies Tipula spp., and mole crickets, Scapteriscus supp. Use this product as directed on turfgrass including home lawns, school grounds, nursing homes and hospital grounds, city, county, state, municipal and federal grounds, business and office complexes, shopping complexes, multi-family residential complexes, gold courses, airports, churches cemeteries, parks, playgrounds, athletic fields and sod farms. The active ingredient in this product has sufficient residual activity so that applications can be made preceding the egg laying activity of the target pests. High levels of control can be achieved when applications are made preceding or during the egg laying period. The need for an application can be based

turfgrass; for example northern and southern masked chafers, Cyclocephala borealis, C. immaculata, and/or C. lurida; Asiatic garden beetle, Maladera castanea; European

chafer, Rhizotrogus majalis, Green June beetle, Cotinus nitida; May or June beetles, Phyllophaga spp.; Japanese beetle, Popillia japonica; Oriental beetle, Anomala

Adequate distribution of the active ingredient cannot be achieved when these conditions exits. The treated turf must be in such a condition that the rainfall or irrigation will penetrate vertically into the soil profile.

are made prior to egg hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Optimum control will be achieved when applications

Shoes plus socks

This product can be used as a broadcast application on ornamentals in commercial and residential landscapes, as well as on landscaped areas of golf courses and other recreational areas. This is a systemic product, with the active ingredient being absorbed by the roots and translocated upward within the plant. Optimum control will be achieved when applications are followed by sufficient mechanical incorporation, irrigation or rainfall to place the active ingredient into the soil. Make application prior to anticipated pest infestation to achieve optimum levels of control.

Applications of this product cannot exceed a total of 200 lbs. (0.4 lbs. of active ingredient) per acre per year. RESTRICTION: Not for use in commercial greenhouses, or nurseries.

Apply this product uniformly over the area being treated with typical granular application equipment. Both drop-type and rotary-type spreaders may be this product. Avoid the use of spreaders which would apply the material in narrow, concentrated bands. Calibrated application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

| APPLICATION RATES | | | |
|-------------------|---|--|---|
| CROP | PEST | | DOSAGE THE ANDERSONS TURF PRODUCTS FERTILIZER WITH 0.2% MERIT INSECTICIDE 15–0–4 AND FORTIFY-N |
| Turf Grasses | Annual bluegrass weevil Billbugs Crane flies Larvae of white grubs, for example: Aphodius sp. Asiatic garden beetle Black turfgrass ataenius European chafer | Green June beetle Japanese beetle Northern masked chafer Oriental beetle Phyllophaga spp. Southern masked chafer Sugarcane Beetle | 150 to 200 lbs. per acre or 3.5 to 4.5 lbs. per 1,000 sq. ft. |
| | For optimum control, make application prior to egg hatch of the target pest. Be sure to read "APPLICATION EQUIPMENT" Section of this label. | | |
| | Mole crickets Chinch bugs (suppression) | | 200 lbs. per acre or 4.5 lbs. per 1,000 sq. ft. |
| | application within one week of the peak e | ication prior to the hatching of the first instar nym gg hatch period. If application is not made prior t product in combination with a remedial insecticide | o egg hatch, and adults or large nymphs are |

Consult your local State Agricultural Experiment Station or State Extension Turf Specialists for more specific information regarding timing of application. • Do not apply to soils which are waterlogged or saturated, which will not allow penetration into the root zone of the plant.

USER RESTRICTIONS: • Do not apply more than 200 lb (0.4 lb of active ingredient) per acre per year. • For optimum control, irrigate if rainfall does not occur within 24 hours after application to move the active ingredient through the thatch. On golf courses, irrigate treated areas following application. • For optimum control, mow turf or lawn area only after irrigation or rainfall has occurred so that uniformity of application will not be affected. Avoid runoff or puddling or irrigation water following application.

SGN 215 Net Wt. 50 Lbs. (22.68 kg)

The Andersons and Fortify logos are registered trademarks of The Andersons, Inc.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated

with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other

LITY OR OF FITNESS FOR A PARTICULAR PURPOSE OF OTHERWISE. THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of manufacturer is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER

LIMITATION OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR

DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT

materials, or the manner of use or application, all of which are beyond the control of Manufacturer. All such risks shall be assumed by the user or buyer.

DISCLAIMS ANY liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

EXCEED THE PURCHASE PRICE PAID. OR AT MANUFACTURER'S ELECTION. THE REPLACEMENT OF PRODUCT.

10002160 (ASP15UMR5.5)

30000774

UPC Code 0-31865-31981-5

SPREADER SETTINGS FOR THIS PRODUCT The following chart can be used as a single guide in establishing an accurate rate of this product. Application rates will vary depending upon speed, equipment wear and condition of spreader. Carefully calibrate all equipment used prior to use of this product. 50 lbs. treats 14,200 sq. ft. (0.33 acre) at the 150 lbs. product/acre – LOW RATE (3.5 lbs/1,000 sq. ft.) 50 lbs. treats 11,100 sq. ft. (0.25 acre) at the 200 lbs. product/acre - HIGH RATE (4.5 lbs/1,000 sq. ft.) SPREADER SETTINGS HIGH RATE COVERAGE 0.3 lb. ai/A 0.4 lb. ai/A Andersons Model 2000 / AccuPro 2000 (cone 4) Andersons 2000 SR / SR-2000 (cone 4): The Andersons LCO-1000 Scotts R-8A (cone 4) K 1/4 10 feet E 1/2 Lesco 020093 (pattern 0.25) Lesco 705698 (pattern 0.25) Lely Models - WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern III-C 5 1/2 32 feet 4.5 mph 26 feet Vicon (03 Series)

SEAL AREA NO COPY

SEAL AREA NO COPY

SEAL AREA NO COPY

SEAL AREA NO COPY

Prepared By Direct Plastics Oct 23 2017 Andersons 14" x 3" x 27 OD







.375 Seal