



**THE ANDERSONS  
SAFETY DATA SHEET**

DATE PREPARED: 03/04/09

CURRENT AS OF: 1/10/22

**SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION**

PRODUCT CODE: 10003188, 10005588, 10005589

PRODUCT NAME: THE ANDERSONS TURF PRODUCTS FERTILIZER WITH 0.38% PRODIAMINE  
HERBICIDE 14-0-4

PRODUCT USE: Fertilizer / Pesticide

MFR INFO: The Andersons, Inc.  
PO Box 119  
Maumee, OH 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

**SECTION 2: HAZARDS IDENTIFICATION**

HAZARD SYMBOLS / STATEMENTS:



**WARNING**

**CAUSES SKIN, EYE AND RESPIRATORY IRRITATION.**

HAZARD CLASSIFICATIONS:

*EYE IRRITATION*

*SKIN IRRITATION*

*SPECIFIC TARGET ORGAN TOXICITY*

- *SINGLE EXPOSURE*

CATEGORY

2B

2

3

INTERPRETATION

Causes eye irritation

Causes skin irritation

Causes irritation to respiratory tract

PRECAUTIONARY STATEMENTS:

- *KEEP OUT OF REACH OF CHILDREN*
- *READ LABEL BEFORE USE*
- *IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND*
- *CALL A POISON CENTER / PHYSICIAN IF UNWELL*
- *IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER*
- *IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE*
- *IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES – REMOVE CONTACT LENSES*
- *IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE*
- *WASH HANDS AFTER HANDLING*
- *USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS*
- *AVOID BREATHING DUST*
- *IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING*
- *STORE CONTAINER TIGHTLY CLOSED*
- *DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS*

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

<b><u>CHEMICAL IDENTITY</u></b>	<b><u>SYNONYM</u></b>	<b><u>CAS NUMBER</u></b>	<b><u>CONCENTRATION (%)</u></b>
Limestone		1317-65-3	55-65
Urea		57-13-6	25-35
Potassium chloride	Potash	7447-40-7	1-10
Clay		Mixture	1-10

**SECTION 4: FIRST AID MEASURES**

IF INHALED:	Move victim to fresh air. Seek medical attention if irritation persists.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
IF SWALLOWED:	If victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

**SECTION 5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	When heated to decomposition, this product will emit toxic oxides, chlorides and ammonia.
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus (SCBA).

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

SPILL / RELEASE PROCEDURES:	Contain material and place in containers for use as intended, or discard according to Federal, State and Local regulations.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies. If material enters a waterway, notify the appropriate authorities.
PROTECTIVE EQUIPMENT:	Wear PPE according to Section 8

**SECTION 7: HANDLING AND STORAGE**

Avoid creating or accumulating dusts during processing and application. Wash hands after handling material. Do not eat, drink or smoke while handling the material. Do not breathe dusts. Not intended for human consumption. Store in a cool, dry, well-ventilated area away from incompatible materials.

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<b><u>HAZARDOUS COMPONENT</u></b>	<b><u>OSHA PEL</u></b>	<b><u>ACGIH TLV</u></b>
Limestone	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Urea	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Potassium chloride	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Clay	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)

**PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:**

RESPIRATORY PROTECTION:	NIOSH approved pesticide respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield recommended
SKIN PROTECTION:	Long sleeves, chemical-resistant (rubber) gloves recommended
VENTILATION:	Local exhaust ventilation recommended

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE AND ODOR:	Multi-colored granular mix, with slight odor
pH:	Not available
MELTING POINT:	Not available
BOILING POINT:	Not applicable
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not applicable
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not applicable
VAPOR DENSITY:	Not applicable
SPECIFIC GRAVITY:	~0.976
SOLUBILITY (IN WATER):	Partially soluble
PARTITION COEFFICIENT:	Not applicable
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available
ODOR THRESHOLD:	Not available
VISCOSITY:	Not available

**SECTION 10: STABILITY AND REACTIVITY**

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Heat, accumulation of dusts
INCOMPATIBILITY:	Strong acids, bases and oxidizers

## THE ANDERSONS TURF FERTILIZER W/ 0.38% PRODIAMINE HERBICIDE 14-0-4

HAZARDOUS DECOMPOSITION PRODUCTS: Toxic oxides, chlorides and ammonia

### SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: Causes skin, eye and respiratory irritation.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, the product may contain trace amounts of crystalline silica, which is listed by IARC as a potential human carcinogen.

#### INGREDIENT TOXICITY RANGES:

ORAL: > 2,600 mg/kg (potassium chloride) - 14,300 mg/kg (urea)

DERMAL: > 2,000 mg/kg (prodiamine)

INHALATION: > 1.8 mg/L (4 hr) (prodiamine)

### SECTION 12: ECOLOGICAL INFORMATION

Long term degradation products may arise. Products of degradation are not expected to be hazardous.

### SECTION 13: DISPOSAL CONSIDERATIONS

Use product for intended purpose where possible. Dispose of in accordance with all national, regional / state, and local regulations.

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

### SECTION 15: REGULATORY INFORMATION

SARA SECTION 311 / 312: ACUTE

### SECTION 16: OTHER INFORMATION

NFPA RATINGS:	HEALTH	1
	FLAMMABILITY	0
	INSTABILITY	0

HMIS RATINGS:	HEALTH	1
	FLAMMABILITY	0
	PHYSICAL HAZARD	0

ACTIVE INGREDIENT LEVEL (%): 0.38 as prodiamine

PREPARED BY: DBA EHS Consulting

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.