



**THE ANDERSONS
SAFETY DATA SHEET**

DATE PREPARED: 11/23/16

CURRENT AS OF: 5/23/22

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: 10005373, 10005375

PRODUCT NAME: THE ANDERSONS TURF PRODUCTS FERTILIZER WITH TRIMEC HERBICIDE

PRODUCT USE: Fertilizer/Herbicide

MFR INFO: The Andersons, Inc.
PO Box 119
Maumee, OH 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



DANGER

**HARMFUL IF SWALLOWED OR INHALED.
MAY CAUSE EYE AND SKIN IRRITATION.
SUSPECTED OF DAMAGING FERTILITY OR
THE UNBORN CHILD.
CAUSES DAMAGE TO ORGANS THROUGH
REPEATED EXPOSURE.**

HAZARD CLASSIFICATIONS:

EYE IRRITATION

SKIN IRRITATION

ACUTE TOXICITY, ORAL

ACUTE TOXICITY, INHALATION

TOXIC TO REPRODUCTION

SPECIFIC TARGET ORGAN TOXICITY

- REPEATED EXPOSURE

CATEGORY

2B

2

4

4

4

1

INTERPRETATION

Causes eye irritation

Causes skin irritation

Harmful if swallowed

Harmful if inhaled

Suspected of damaging fertility or the unborn child

Causes damage to the liver

PRECAUTIONARY STATEMENTS:

- *OBTAIN SPECIAL INSTRUCTIONS BEFORE USE*
- *DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD*
- *IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION*
- *STORE LOCKED UP*
- *WEAR PROTECTIVE GLOVES AND CLOTHING*
- *REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE*
- *DO NOT BREATHE DUSTS*
- *WASH THOROUGHLY AFTER HANDLING*
- *IF SWALLOWED: CALL POISON CONTROL AND SEEK MEDICAL ATTENTION*
- *IF IN EYES OR ON SKIN: RINSE AREA WITH PLENTY OF WATER, REMOVE CONTACT LENSES*
- *IF EYE OR SKIN IRRITATION CONTINUES: SEEK MEDICAL ATTENTION*
- *IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING*

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Limestone	Calcite	1317-65-3	45-50
Ureas		Mixed	40-45
Potassium Chloride	White potash	7447-40-7	1-5

SECTION 4: FIRST AID MEASURES

IF INHALED:	Move to fresh air and keep comfortable. Call POISON CONTROL and seek medical attention if unwell.
IF ON SKIN:	Wash affected areas with soap and water while removing and isolating all contaminated clothing. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for 15-20 minutes and seek medical attention.
IF SWALLOWED:	Rinse mouth. DO NOT INDUCE VOMITTING unless directed by a medical professional. Call POISON CONTROL and seek medical attention.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	When heated to decomposition, this product will emit toxic oxides, chlorine and ammonia
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES:	Contain material and place in containers for use as intended, or discard according to Federal, State and Local regulations.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies. If material enters a waterway, notify the appropriate authorities.
PROTECTIVE EQUIPMENT:	Wear PPE according to Section 8

SECTION 7: HANDLING AND STORAGE

Wash hands after handling material. Do not eat, drink or smoke while handling the material. Do not get in eyes or on skin. Do not breathe dusts. Not intended for human consumption. Store in a cool, dry, well ventilated area away from incompatible materials and sources of heat.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<u>HAZARDOUS COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Potassium Chloride	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Limestone	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION:	NIOSH approved pesticide respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield
SKIN PROTECTION:	Long sleeves, chemical-resistant (rubber) recommended
VENTILATION:	Use with adequate ventilation

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Multi-colored granular mix, with slight ammonia odor
pH:	Not Applicable
MELTING POINT:	Not applicable
BOILING POINT:	Not available
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not available
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not available
VAPOR DENSITY:	Not available
SPECIFIC GRAVITY:	~0.795
SOLUBILITY (IN WATER):	Partially soluble
PARTITION COEFFICIENT:	Not available
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available
ODOR THRESHOLD:	Not available
VISCOSITY:	Not available

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Heat, incompatible materials
INCOMPATIBILITY:	Strong acids, bases and oxidizers, metal coatings
HAZARDOUS DECOMPOSITION PRODUCTS:	Toxic oxides, chlorine and ammonia

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: May be irritating to the nose, throat, and respiratory tract, and may cause sore throat, coughing, and shortness of breath. Skin irritation may result; repeated or prolonged skin exposures may result in dermatitis. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage. Ingestion may result in sore throat, abdominal pain, nausea, and diarrhea. Excessive exposure to the active ingredient may cause liver, kidney, blood, gastrointestinal, and muscular effects.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, the product may contain trace amounts of crystalline silica which is listed by IARC as a potential human carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL: 370 mg/kg (2, 4-dichlorophenoxyacetic acid)

DERMAL: 900 mg/kg (mecoprop)

SECTION 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects. Long term degradation products may arise. Products of degradation are not expected to be hazardous.

SECTION 13: DISPOSAL CONSIDERATIONS

Use product for intended purpose where possible. Do not generate dusts. Dispose of in accordance with all national, regional / state, and local regulations.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

SARA 311/312:	Acute, Chronic
SARA 313:	2,4-dichlorophenoxyacetic acid Mecoprop Dimethylamine dicamba
REPORTABLE QUANTITY:	2,4-dichlorophenoxyacetic acid (100 lbs)
RIGHT-TO-KNOW:	2,4-dichlorophenoxyacetic acid (MA, PA, NJ) Mecoprop (PA, NJ)
RCRA:	U240 (2,4-dichlorophenoxyacetic acid)

SECTION 16: OTHER INFORMATION

NFPA RATINGS:	HEALTH	2
	FLAMMABILITY	0
	INSTABILITY	0

HMIS RATINGS:	HEALTH	2
	FLAMMABILITY	0
	INSTABILITY	0

ACTIVE INGREDIENT LEVEL (%):	0.06	as dicamba
	0.15	as mecoprop
	0.69	as 2,4-dichlorophenoxyacetic acid

PREPARED BY: DBA EHS Consulting

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.